

## Burns, Poisoning, CBRN, and Bites & Stings

First Aid/CPR/AED Refresher Module 8





Burns	Poisoning	Chemical Biological Radiological Nuclear (CBRN)	Bites	Stings
<u>\$200</u>	<u>\$200</u>	<u>\$200</u>	<u>\$200</u>	<u>\$200</u>
<u>\$400</u>	<u>\$400</u>	<u>\$400</u>	<u>\$400</u>	<u>\$400</u>
\$600	\$600	<u>\$600</u>	\$600	<u>\$600</u>
\$800	\$800	\$800	\$800	\$800
<u>\$1000</u>	<u>\$1000</u>	<u>\$1000</u>	<u>\$1000</u>	<u>\$1000</u>

## How many burn categories are there (degrees)?



## Name the three ways an individual can be burnt



#### What degree of burn is this?





#### What degree burn is this?









## What are the 4 ways someone can be poisoned?



### Give two examples of poisoning through ingestion



After contacting EMS for a suspected overdose, what should the first responder do first for the victim?



What kind of poisoning happens primarily from direct skin contact exposure to things like chemicals, pesticides or fertilizers?



## What is the phone number for Poison Control?



#### What should the responder be aware of FIRST when responding to a potential CBRN incident?



#### While responding to a CBRN Incident and the first responder becomes exposed to a contaminant, who should they report to?



Why is it important for the first responder to establish a secure perimeter when responding to a CBRN incident?



# What important information should the first on scene relay to the Communication Center?



#### What environmental factors play an important role in responding to a suspected CBRN incident and why?



#### Should an attempt be made to catch an animal after it has bitten a person?



After being bit by a snake, should the first responder attempt to suction out the venom and apply ice and a tourniquet to the effected area?



Name this potentially fatal infection that is spread through the bite of animals like bats, skunks, racoons, foxes, coyotes?



#### What clothing items should be removed from an individual after being bitten by a snake?



For a suspected rabies exposure, the hospital can give a series of shots to prevent the rabies virus from infecting an individual.

How many shots are given and how many days is the series?



# What are <u>common</u> side effects from an insect sting?



## If visible, how should a bee stinger be removed?



### What is the minimum time some one should be monitored for an allergic reaction after

an insect sting?



What signs and symptoms would a person exhibit from an insect sting that would require further treatment by EMS?



If someone is exhibiting a severe reaction to an insect sting, what prescribed medication can we assist in giving them?

